

उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड
(UTTAR PRADESH POLLUTION CONTROL BOARD)

Dated 11-2-19

Ref. No. 132525 / C-5/2/BMW-62/19

FORM-III
(See rule 10)

AUTHORISATION

(Authorization for operating a facility for Collection, Reception, Treatment, Storage, Transportation and disposal of biomedical wastes)

1. File number of authorization and date of issue : C-5/2/BMW-62/2019 11-2-19
M/s SMS Watergrace Mediwaste Management Pvt. Ltd. Village & Post- Bindowa, Mohanlalganj, Lucknow is hereby granted an authorization for;
2. **Activity**
 - (i) Generation
 - (ii) Segregation
 - (iii) Collection
 - (iv) Storage
 - (v) Packaging
 - (vi) Transportation
 - (vii) Treatment or processing or conversion
 - (viii) Disposal or destruction
 - (ix) Offering for sale, transfer any other form of handling
3. M/s SMS Watergrace Mediwaste Management Pvt. Ltd. Village & Post-Bindowa, Mohanlalganj, Lucknow is hereby authorized for handling of biomedical waste as per the capacity given below.
 - (i) Number of beds of HCFs----9751
 - (ii) Number healthcare facilities covered by CBMWTF--1030
 - (iii) Installed treatment and disposal capacity -Capacity of Incinerator 250Kg/Hr.
Capacity to Autoclave-- 175 Kg/Batch
Capacity of Shredder -- 300 kg/Hr
Capacity of ETP -- 20 KLD
 - (iv) Quantity of Biomedical waste handled, treated or disposal 2660 Kg/day
 - (v) Area or distance covered by CBMWTF --150 Km.

Type of Waste Category

Yellow
Red
White (Translucent)
Blue

Quantity Permitted for Handling

Incinerable --5000 Kg/day, Autoclavable-3500 Kg/day,
Shredder--6000 }Kg/day


4. This authorization shall be in force for a period of five years from the date of issue.
5. This authorization is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Chief Environmental Officer(C-5)


TERM AND CONDITIONS

1. The Authorization shall comply with provisions of the Environment (Protection) Act 1986 and the rules made there under.
2. The Authorization or its renewal shall be produced for inspection at the request of an officer, Authorized by the prescribed authority.
3. The Authorized person shall not rent, lend, transfer or otherwise transport the bio-Medical waste without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of his authorization.
5. Bio- Medical waste shall not be mixed with other waste.
6. Bio- Medical waste shall be segregated into containers/ bags at the point of generation in accordance with schedule-I. Prior to its storage. The Containers shall be labeled as per provisions.
7. No untreated bio medical waste shall be kept stored beyond a period of 48 hours for in compliance of rule -8 of Bio Medical Waste Rules, 2016.
8. You shall submit an annual re
9. port to the U.P. Pollution Control Board in form IV by 30th June every year for a period from January to December. And include information about the categories and quantities of Bio Medical waste during the preceding year.
10. You shall maintain record related to the generation and segregation of handling of Bio Medical Waste in accordance with rule and guidelines, all records shall be subject to inspection and verification by the Board at any time.
11. It is within the power and functions of U.P. Pollution Control Board to modify/ revoke the terms and conditions of Authorization and issued under the Rule 7 (8) of the Bio-Medical waste Management Rules, 2016.
12. You are hereby directed to comply the stipulated above mentioned conditions and submit the compliance report and steps taken in this regard within a month so that capacity of the facility may be verified failing which the authorization may be revoked and necessary legal proceeding shall be initiated.
13. The Bio medical waste shall not be disposed in open place in the premises.
14. This authorization is subject to the order of Hon'ble High Court in Criminal revision no. 2671/2008 and Criminal revision no. 2572/2008.
15. Strict compliance of Rule 18 and all other provisions of BMW Rule, 2016 must be ensured.
16. The CBWTF shall submit the incinerator stack monitoring report analysed by NABL accredited laboratory, giving all parameters as prescribed in BMW Rules-2016, within one month.
17. The unit shall strictly comply direction issued by CPCB letter no. F.No.B-31011/ BMW (46.139)/2018 WMD-II/14248 dated 18.12.2018 u/s 5 of the Environment (Protection) Act, 1986 and submit the compliance report within 15 days of receipt of letter.

Yours faithfully


Chief Environmental Officer(C-5)

Copy to: - Regional Officer, U.P. Pollution Control Board, Lucknow for information and necessary action.


Chief Environmental Officer(C-5)

POCO

SHOT ON POCO F1

T.C/12V, Vibhuti Khand Gomti Nagar, Lucknow - 226010

Phone: 2720831, 2720828, 2720691 & 2720681 - Fax: 0522 - 2720764

Email: info@uppcb.com - Web Site: www.uppcb.com